

FLATBED TRAILERS FOR PROFESSIONALS



FLATBED TRAILERS **MEDAX**

MULTIPURPOSE TRAILERS



PLANT TRAILERS



FLATBED TRAILERS



Medax, the heavyweight champion

The Medax flatbed trailers are built for intensive use. In a range of 24 models and a Gross Weight capacity from 2600 to 3500 there will always be a model that meets your transportation needs. The smart design with its maintenance friendly construction and high quality finishes makes the Medax the flatbed trailer of choice for the professional user.



The Medax is available as a tandem or tri-axle trailer.

No challenge too big

Professionals throughout Europe rely every day on the quality of the Medax and use it to the max. The loading floor is supported by a heavy duty steel space frame. The axles, wheels, braking system and jockey wheel are all premium quality. The built-in lockers, the side panels that neatly fold underneath the loading floor and the multiple fixed tie-down points makes it ideal working with Medax. The Medax is a real timesaving platform trailer. In short; no challenge is too big for the Hulco flatbed trailers!

**“ONLY THE TOUGHEST
EQUIPMENT WILL DO”**



Robust
spaceframe



Long tie-hooks
under the floor



Build-in lockers
Easy and safe to use




Back-panel provided with
extension supports



Many tie-hooks
at the innerside



Split sides
(length > 5 meter)



Integrated marker lights
(LED) at the sides





Adjust your needs with the Medax

With a wide selection of accessories you can customise your Medax to suit your needs. You can choose from: propstands, winch, axle shock absorbers, spare wheel with support, marker lights, high cover or ladder rack. A flatbed trailer without sides? Or ramps stored under the loading floor? Hulco has it all!

“ME AND MY MEDAX WILL GET THE JOB DONE”



Extra tie-down possibilities with the ladder rack of 80 cm high. The spare wheel and support can be mounted on the ladder rack.



You can easily remove the side panels and corner stands and use the Medax loading floor to its max.



Accessorie:
Steel or aluminium ramps,
stored in ramp holders



Accessorie:
Propstands,
in one-hand useage



Accessorie:
Winch with support



Accessorie:
Axle shock absorbers
for extra comfort



Accessorie:
Spare wheel
with support



Accessorie:
Position lights (LED)



Accessory:
High cover provided with
light transmitting tarpaulin



The Medax with high cover gives even more possibilities. The high cover is deliverable in internal heights of 180 and 210 cm.




All Medax models can be equipped with steel or aluminium ramps (length 250 cm) that can be stored in the ramp holders.

Hulco support

Hulco has an extended network of certified Hulco dealers! Please get informed ad your local Hulco dealer or [www.Hulco .eu](http://www.Hulco.eu). The Hulco-dealer can help you to configurate your perfect Medax that 100% meeds your needs!



Type	Medax-2 2600 335x183	Medax-2 2600 405x183	Medax-2 2600 405x203	Medax-2 2600 502x203	Medax-2 3000 335x183	Medax-2 3000 405x183	Medax-2 3000 405x203	Medax-2 3000 405x223	Medax-2 3000 502x203	Medax-2 3000 502x223	Medax-2 3000 611x203	Medax-2 3000 611x223
Gross capacity	2600 kg	2600 kg	2600 kg	2600 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg	3000 kg
Axles pcs	2	2	2	2	2	2	2	2	2	2	2	2
Braked or unbraked version	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked
Unladen trailer weight	560 kg	610 kg	625 kg	710 kg	570 kg	620 kg	635 kg	660 kg	720 kg	750 kg	795 kg	830 kg
Load capacity	2040 kg	1990 kg	1975 kg	1890 kg	2430 kg	2380 kg	2365 kg	2340 kg	2280 kg	2250 kg	2205 kg	2170 kg
Internal length (A)	335 cm	405 cm	405 cm	502 cm	335 cm	405 cm	405 cm	405 cm	502 cm	502 cm	611 cm	611 cm
Internal width (B)	183 cm	183 cm	203 cm	203 cm	183 cm	183 cm	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm
Floor height (C)	68 cm	68 cm	68 cm	68 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm	65 cm
A-Frame length (D)	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm
Total length (E)	490 cm	560 cm	560 cm	657 cm	490 cm	560 cm	560 cm	560 cm	657 cm	657 cm	766 cm	766 cm
Total width (F)	190 cm	190 cm	210 cm	210 cm	190 cm	190 cm	210 cm	230 cm	210 cm	230 cm	210 cm	230 cm
Total height (G)	98 cm	98 cm	98 cm	98 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm	95 cm
Internal height (H)	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm
Wheel / tyresize	185/70R13	185/70R13	185/70R13	185/70R13	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12



Medax

Type	Medax-2 3500 405x203	Medax-2 3500 405x223	Medax-2 3500 502x203	Medax-2 3500 502x223	Medax-2 3500 611x203	Medax-2 3500 611x223	Medax-3 3500 405x203	Medax-3 3500 405x223	Medax-3 3500 502x203	Medax-3 3500 502x223	Medax-3 3500 611x203	Medax-3 3500 611x223
Gross capacity	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg	3500 kg
Axles pcs	2	2	2	2	2	2	3	3	3	3	3	3
Braked or unbraked version	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked	braked
Unladen trailer weight	690 kg	715 kg	775 kg	805 kg	850 kg	885 kg	750 kg	780 kg	830 kg	860 kg	905 kg	940kg
Load capacity	2810 kg	2785 kg	2725 kg	2695 kg	2650 kg	2615 kg	2750 kg	2720 kg	2670 kg	2640 kg	2595 kg	2560 kg
Internal length (A)	405 cm	405 cm	502cm	502 cm	611 cm	611 cm	405 cm	405 cm	502 cm	502 cm	611 cm	611 cm
Internal width (B)	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm	203 cm	223 cm
Floor height (C)	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm	66 cm
A-Frame length (D)	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm	145 cm
Total length (E)	560 cm	560 cm	657 cm	657 cm	766 cm	766 cm	560 cm	560 cm	657 cm	657 cm	766 cm	766 cm
Total width (F)	210 cm	230 cm	210 cm	210 cm	210 cm	230 cm	210 cm	230 cm	210 cm	230 cm	210 cm	230 cm
Total height (G)	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm	96 cm
Internal height (H)	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm	30 cm
Wheel / tyresize	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12	185/60R12

Accessories	Medax width 183 cm	Medax width 203cm	Medax width 223 cm
High cover (internal height 180 cm)	✓	✓	✓
High cover (internal height 210 cm)	✓	✓	✓
Propstands	✓	✓	✓
Ladder rack (height 80 cm)	✓	✓	✓
Aluminum or steel ramps with ramp holders	✓	✓	✓
Winch with Medax winch holder	✓	✓	✓
Axle shock absorbers	✓	✓	✓
Position lights (LED)	✓	✓	s
Spare wheel with support	✓	✓	✓

s standard equipment

✓ deliverable as option



Hulco Trailers, for professionals who set requirements

Since 2003 Hulco is developing trailers for the professional market. Thanks to incompany development, innovations and full automated production processes, a high quality level is always guaranteed. Hulco is one of the leading trailer producers in the European market.

Visit: www.hulco.eu

Your Hulco dealer



A Low loader trailers **BSX**



A Low loader trailers **GT-O**



A Low loader trailers **GT-R**



A Flatbed trailers **ASX**
(Incl. ramps)



A Flatbed trailers **PSX**



H Flatbed trailers **MEDAX**



A Flatbed trailers **PLT**



H Multipurpose trailers
CARAX



A Multipurpose trailers
MSX-Basic / MSX



A Car transporters
AMT



A Car transporters
AMT-ECO



A 3-way tipping trailers
KXS



A Backwards tipping trailers
KLT



A Hard top cover trailers
GT-HT / GT-VT1



A Box van trailers
GT-VT2 / GT-VT3 / GT-VT4



H Plant trailers
TERRAX



H Plant trailers
TERRAX-Basic



A Horse trailers **PTH**



A Construction trailers **PTS**



Wide range of accessories

HB2101EN-MED

The Anssems Group:

Hulco Trailers GmbH
Wiener Straße 34
D-48455 Bad Bentheim-Gildehaus

Anssems Aanhangwagens B.V.
Ericssonstraat 50
NL-5121 ML Rijen

Anssems Anhänger GmbH
Londoner Straße 15
D-48455 Bad Bentheim-Gildehaus

Anssems Remorques Sarl
Rue Pierre Brossolette
FR-58600 Garchizy

